

Marine Environmental Research

Papers Published in Vol. 50, 2000

CONTENTS OF VOLUME 50

Numbers 1-5

- iii Editorial
- xi Preface
- xiii Contents

SECTION 1. MECHANISMS OF TOXICITY: ORGANICS

- 1 The cytochrome P450 1A gene (*CYP1A*) from European flounder (*Platichthys flesus*), analysis of regulatory regions and development of a dual luciferase reporter gene system
T.D. WILLIAMS, J.-S. LEE, D.L. SHEADER and J.K. CHIPMAN (UK)
- 7 Identification of cytochrome P450 1B-like sequences in two teleost fish species (scup, *Stenotomus chrysops* and plaice, *Pleuronectes platessa*) and in a cetacean (striped dolphin, *Stenella coeruleoalba*)
C.A.J. GODARD (USA), M.J. LEAVER (UK), M.R. SAID, R.L. DICKERSON (USA), S. GEORGE (UK) and J.J. STEGEMAN (USA)
- 11 Sulfation and glucuronidation of benzo[a]pyrene-7,8-dihydrodiol in intestinal mucosa of channel catfish (*Ictalurus punctatus*)
P. VAN DEN HURK and M.O. JAMES (USA)
- 17 Conservation of a glutathione S-transferase in marine and freshwater fish
K.L. HENSON, K.M. SHEEHY and E.P. GALLAGHER (USA)
- 23 Distribution of microsomal CO-binding chromophores and EROD activity in sea anemonetissues
L.M. HEFFERNAN and G.W. WINSTON (USA)
- 29 Effects of waterborne nitrite on phase I-II biotransformation in channel catfish (*Ictalurus punctatus*)
J.F. GONZÁLEZ (Colombia), P.L. DEL VALLE, S. THOHAN and A.S. KANE (USA)
- 33 A survey of in vivo benzo[a]pyrene metabolism in small benthic marine invertebrates
A. McELROY, K. LEITCH and A. FAY (USA)
- 39 The evolution of aryl hydrocarbon signaling proteins: diversity of ARNT isoforms among fish species
W.H. POWELL and M.E. HAHN (USA)
- 45 The effect of PCBs on glycogen reserves in the eastern oyster *Crassostrea virginica*
V. ENCOMIO and F.-L.E. CHU (USA)
- 51 Towards molecular understanding of species differences in dioxin sensitivity: initial characterization of Ah receptor cDNAs in birds and an amphibian
S.I. KARCHNER (USA), S.W. KENNEDY, S. TRUDEAU (Canada) and M.E. HAHN (USA)

- 57 Increased potential for NAD(P)H-dependent reactive oxygen species production of hepatic subcellular fractions of fish species with in vivo exposure to contaminants
D.R. LIVINGSTONE, C.L. MITCHELMORE, S.C.M. O'HARA,
P. LEMAIRE (UK), J. STURVE and L. FÖRLIN (Sweden)
Abstracts
- 61 Cytochrome P450 gene diversity and function in marine animals: past, present, and future
J.J. STEGEMAN (USA)
- 62 Cloning and sequencing of the complete coding region of CYP3A30 from *Fundulus heteroclitus*
M. CELANDER (Sweden) and J.J. STEGEMAN (USA)
- 63 A cytochrome P4501B gene from a fish species
M.J. LEAVER and S. GEORGE (UK)
- 63 Diversity of cytochrome P450 2 family genes in non-mammalian vertebrates
M.F. OLEKSIK, M.E. HAHN and J.J. STEGEMAN (USA)
- 64 In vitro biotransformation of organohalogenes by sperm whale microsomes in relation to the CYP-isozymes present
J.P. BOON, W.E. LEWIS (The Netherlands) and A. GOKSØYR (Norway)
- 65 Random expression of branchial flavin-containing monooxygenase (FMO) activity in the Atlantic flounder (*Platichthys flesus*)
D. SCHLENK, B. LARSEN, A. EL-ALFY, R. SMITH (USA), L. PETERS,
D. LIVINGSTONE (UK), E. DEANE and N. WOO (Hong Kong)
- 65 Identification of multiple isoforms of cytochrome P450 3A in medaka *Oryzias latipes*: characterization and ontogeny
S.W. KULLMAN and D.E. HINTON (USA)
- 66 Isolation and characterization of a novel cytochrome P450 (CYP2 family) isoform from channel catfish
E. PERKINS Jr. and D. SCHLENK (USA)
- 67 CYP1A localization in Beluga whales (*Delphinapterus leucas*) from the St. Lawrence Estuary and the Arctic
J.Y. WILSON, S.R. COOKE, M.M. MOORE (USA), D. MARTINEAU,
I. MIKAELIAN, D.A. METNER, W.L. LOCKHART (Canada) and
J.J. STEGEMAN (USA)
- 67 Differential phase I and phase II enzyme activities in brown bullhead and channel catfish exposed to β -naphthoflavone
K. WILLETT, J. ROGERS and R. DI GIULIO (USA)
- 68 CYP1A and phase II responses of *Scophthalmus maximus* upon long-term repeated exposure to B(a)P and B(a)P-PCB77 mixtures
S.H.N.P. GUNAWICKRAMA and A. GOKSØYR (Norway)
- 69 Strain specific patterns in temperature adaptation of CYP isoenzyme levels in Atlantic salmon (*Salmo salar*)
A. ARUKWE and A. GOKSØYR (Norway)
- 70 Effects of the natural bromo-phenol, lanosol, on the expression and activities of various phase I and phase II enzymes from the digestive gland of the gumboot chiton, *Cryptochiton stelleri*
B.C. DEBUSK, S.S. CHIMOTE, J.M. RIMOLDI and D. SCHLENK (USA)
- 70 Effect of *Amouricium* extracts on the hepatic expression of CYP1A and GST's in the pinfish, *Lagodon rhomboides*
B.C. DEBUSK, M. SLATTERY and D. SCHLENK (USA)

- 71 Bioavailability and biotransformation of 3,4,3',4'-tetrachlorobiphenyl (TCB) in in situ intestinal preparations of uninduced and TCB induced channel catfish
A.M. DOI, K.M. KLEINOW, Z. LOU, M.O. JAMES, C.S. VENUGOPALAN and E. HOLMES, (USA)
- 72 Distribution of flavin-containing monooxygenase gene expression in several teleost fish species using a cDNA sequence from the teleost rainbow trout (*Oncorhynchus mykiss*)
A. EL-ALFY and D. SCHLENK (USA)
- 72 Comparison of the detoxication capacity of the limnic and marine form of the green algae *Enteromorpha compressa*
A. KIRCHHOFF and S. PFLUGMACHER (Germany)
- 73 Metabolism of the S-triazine herbicide atrazine in early life stages of the zebrafish, *Danio rerio*
C. WIEGAND, E. KRAUSE, C. STEINBERG and STENOTOMUS PFLUGMACHER (Germany)
- 74 Caffeine metabolism by microsomal and cDNA-expressed cytochrome P450 1A from scup (*S. chrysops*)
B.R. WOODIN (USA), J. DOEHMER (Germany) and J.J. STEGEMAN (USA)
- 75 Hepatic activities of CYP1A and thiamine-dependent enzymes in Baltic salmon (*Salmo salar*) alevins suffering from the thiamine deficiency M74
P. AMCOFF, G. ÅKERMAN, H. BÖRJESON, U. TJÄRN LUND, L. NORRGREN and L. BALK (Sweden)
- 75 NF-κB (REL) homologues in scup (*Stenotomus chrysops*) and possible activation of NF-κB by AH receptor agonists
J.J. SCHLEZINGER, C.E. BLICKARZ, K.K. MANN and J.J. STEGEMAN (USA)
- 76 Functional characterization of two AH receptors in the marine fish, *Fundulus heteroclitus*: TCDD and DNA binding and tissue-specific expression
S.I. KARCHNER, W.H. POWELL and M.E. HAHN (USA)
- 77 Molecular characterization and tissue-specific expression of the aryl hydrocarbon receptor in the Beluga, *Delphinapterus leucas*
B.A. JENSEN and M.E. HAHN (USA)
- 78 Increased sensitivity to oxidative stress in a creosote-adapted population of mummichog (*Fundulus heteroclitus*)
J.N. MEYER, E.D. MACLEAN and R.T. DI GIULIO (USA)
- 78 Interactive effects of CB 126 and benzo[a]pyrene on biotransformation enzymes, metabolites in bile and DNA adducts in the dab (*Limanda limanda*)
A. VAN SCHANKE, J.M. EVERAARTS, J.P. BOON, F.J. VAN SCHOOTEN and M. VAN DEN BERG (The Netherlands)
- 79 Role of biotransformation in determining aldicarb toxicity in fish
E. PERKINS Jr. and D. SCHLENK (USA)
- 80 Structure-toxicity relationships for four classes of aliphatic electrophiles to *Vibrio fischeri*
T.W. SCHULTZ, G.S. BOWERS (USA) and M.T.D. CRONIN (UK)
- 80 Dietary effects on xenobiotic-induced oxidative damage in 'O' group plaice
S. GEORGE, J. WRIGHT, G. BELL, A. GEFFEN and S. TAYLOR (UK)

SECTION 2. MECHANISMS OF TOXICITY: METALS

- 83 Interactive effects of cadmium and benzo[a]pyrene on metallothionein induction in mummichog (*Fundulus heteroclitus*)
P. VAN DEN HURK, M. FAISAL and M.H. ROBERTS Jr. (USA)

- 89 Cadmium and lead interactions with transcription factor IIIA from *Xenopus laevis*: a model for zinc finger protein reactions with toxic metal ions and metallothionein
D.H. PETERING, M. HUANG, S. MOTOKI and C.F. SHAW III (USA)
 - 93 The requirements for stable metallothionein clusters examined using synthetic lobster domains
A. MUÑOZ, D.H. PETERING and C.F. SHAW III (USA)
 - 99 Cadmium speciation and transport in the blood of the bivalve *Mytilus edulis*
P.S. NAIR and W.E. ROBINSON (USA)
- Abstracts
- 103 Novel forms of copper-metallothionein and anti-oxidant defense enzymes in crustacea that use copper for oxygen transport
M. BROUWER, T. HOEXUM BROUWER and R.A. SYRING (USA)
 - 103 Lead toxicity on growth and biochemical constituents in postlarvae of *Penaeus indicus*
S. CHINNI and P.R. YALLAPRAGADA (India)
 - 104 Tolerance, accumulation and depuration in an intertidal gastropod, *Turbo intercostalis*, exposed to cadmium
S.L. PANDESWARA and P.R. YALLAPRAGADA (India)
 - 105 Assessment of risks on US Pacific Coast oysters feeding on bivalves and associated tributyltin
D. MACLELLAN, M.S. BRANCATO and R. CARDWELL (USA)
 - 105 Are metal mining effluent regulations adequate: identification of a novel bleached fish syndrome in association with iron-ore mining effluents in Labrador, Newfoundland
J.F. PAYNE, P. YEATS, A. RAHIMTULA, D. SCRUTON, B. FRENCH, C. ANDREWS and L. COLE (Canada)

SECTION 3. NEUROTOXICITY

- 107 Mysids and trace metals: disruption of swimming as a behavioural indicator of environmental contamination
S.D. ROAST, J. WIDDOWS and M.B. JONES (UK)
 - 113 Interactions of chlorpyrifos and methyl mercury: a mechanistic approach to assess chemical mixtures
J.A. STEEVENS and W.H. BENSON (USA)
 - 119 Lead and Aroclor 1254 disrupt reproductive neuroendocrine function in Atlantic croaker
I.A. KHAN and P. THOMAS (USA)
- Abstracts
- 125 Influence of episodic exposures of chlorpyrifos to an estuarine cyprinodontid, *Fundulus heteroclitus*
D.J. KAREN, J.A. DANCIC, S.L. SKIPPER, J.A. SMINK and S.J. KLAINE (USA)
 - 125 The use of primary cultures of brain cells from tilapia *Oreochromis nilotica* and other teleost cells in toxicity testing
J. EVANS and P. KLESIUS (USA)
 - 126 Mammalian neuropathology: a paradigm for the study of teleost neurotoxicity?
M.G. SIMPSON, P.S. WIDDOWSON, P. WALKER and R.T. LEAH (UK)

SECTION 4. ENDOCRINE MODULATORS

- 127 Chemical interference with genomic and nongenomic actions of steroids in fishes: role of receptor binding
P. THOMAS (USA)
- 135 Exposure to environmentally relevant concentrations of different nonylphenol formulations in Japanese medaka
C.M. FORAN, E.R. BENNETT and W.H. BENSON (USA)
- 141 Metabolism and organ distribution of nonylphenol in Atlantic salmon (*Salmo salar*)
A. ARUKWE, A. GOKSØYR (Norway), R. THIBAUT and J.P. CRAVEDI (France)
- 147 Lack of effect of beta-naphthoflavone on induction of Nramp genes in adult rainbow trout *Oncorhynchus mykiss*
A.K. DASMAHAPATRA, B.A.B. WIMPEE, K.J. BUDSBERG, M.O. DORSCHNER, R.B. PHILLIPS and R.J. HUTZ (USA)
- 153 Developmental evaluation of a potential non-steroidal estrogen: triclosan
C.M. FORAN, E.R. BENNETT and W.H. BENSON (USA)
- 157 Modulation of trout 7-ethoxyresorufin-O-deethylase (EROD) activity by estradiol and octylphenol
J.M. NAVAS and H. SEGNER (Germany)
- 163 Immune function, hepatic CYP1A, and reproductive biomarker responses in the gulf killifish, *Fundulus grandis*, during dietary exposures to endocrine disrupters
C.D. RICE and Y. XIANG (USA)
- 169 Concentration-dependent effects of nonylphenol on testis structure in adult platyfish *Xiphophorus maculatus*
K. KINBERG, B. KORSGAARD and P. BJERREGAARD (Denmark)
- 175 Estrogenic and CYP1A response of mummichogs and sunshine bass to sewage effluent
M. McARDLE, A. ELSKUS, A. McELROY, B. LARSEN, W. BENSON and D. SCHLENK (USA)
- 181 Effects of methyl testosterone exposure on sexual differentiation in medaka, *Oryzias latipes*
D.M. PAPOULIAS, D.B. NOLTIE and D.E. TILLITT (USA)
- 185 Comparative vitellogenic responses in three teleost species: extrapolation to insitu field studies
S. THOMPSON, F. TILTON, D. SCHLENK and W.H. BENSON (USA)

Abstracts

- 191 Vitellogenin-associated maternal transfer of exogenous and endogenous ligands in the estuarine fish, *Fundulus heteroclitus*
G.H. MONTEVERDI and R.T. DI GIULIO (USA)
- 191 Skewed embryonic sex ratios in a viviparous fish: a result of endocrine disruption?
D.G.J. LARSSON, H. HÄLLMAN and L. FÖRLIN (Sweden)
- 192 Environmental estrogens: dose-response relationships for vitellogenin formation and reproductive toxicity in male rainbow trout
I.R. SCHULTZ, P.N.N.L. BATTELLE, W.A. RICHLAND, A.S. DRUM, M.S.L. BATTELLE, W.A. SEQUIM, W.L. HAYTON and G.A. ORNER (USA)
- 193 Analysis of vitellogenin mRNA by quantitative reverse transcription polymerase chain reaction (RT-PCR) in juvenile fish exposed for 12 months to nonylphenol
K. FENT, G.E. ACKERMANN (Switzerland) and J. SCHWAIGER (Germany)
- 194 Multigeneration reproductive effects of three phthalate esters in Japanese medaka (*Oryzias latipes*)
P. PATYNA and K.R. COOPER (USA)

- 194 PAH effects on grass shrimp, *Palaeomonetes pugio*: interactions with the ecdysteroid system
E. OBERDÖRSTER, M. BROUWER and J.A. McLACHLAN (USA)
- 195 Fish *Zona radiata* (eggshell) proteins: evaluation and validation as a biomarker for xenoestrogen monitoring
A. ARUKWE, R. MALE (Norway), L. JOHNSON, K. PECK-MILLER, T. COLLIER (USA) and A. GOKSØYR (Norway)
- 196 Influence of exposure history on vitellogenin induction in medaka: a case of 'estrogen memory'?
C.M. FORAN (USA), C.D. METCALFE, T.L. METCALFE (Canada) and W.H. BENSON (USA)
- 196 Interaction of estrogenic alkylphenols and tamoxifen in *Fundulus heteroclitus* embryos and larvae
S. KELLY and R. DI GIULIO (USA)
- 197 Estrogen signaling in trout liver: estrogen receptor and non-estrogen receptor mediated cellular response
S.W. KULLMAN, L. ERECIUS, F. MATSUMURA and D.E. HINTON (USA)
- 198 Contraceptive pill residues in sewage effluent are estrogenic to fish
J. PARKKONEN, D.G.J. LARSSON, M. ADOLFSSON-ERICI, M. PETTERSSON, A.H. BERG, P.-E. OLSSON and L. FÖRLIN (Sweden)
- 198 Interaction of environmental chemicals with the plasma sex-steroid binding protein in the spotted seatrout
C. LAIDLEY and P. THOMAS (USA)

SECTION 5. EFFECTS OF TOXIC CHEMICALS ON REPRODUCTION AND DEVELOPMENT

- 201 Determining the sensitive developmental stages of intersex induction in medaka (*Oryzias latipes*) exposed to 17 β -estradiol or testosterone
C.S. KOGER, S.J. TEH and D.E. HINTON (USA)
- 207 The effects of glutathione depletion on reproductive success in oysters, *Crassostrea virginica*
A.H. RINGWOOD and D.E. CONNERS (USA)
- 213 γ -Glutamyl transpeptidase as a possible marker of Sertoli cells in fish testes for studies of xenoestrogens
T. CHRISTIANSEN, K. KINNBERG, P. BJERREGAARD and B. KORSGAARD (Denmark)
- 217 PCB uptake and accumulation by oysters (*Crassostrea virginica*) exposed via a contaminated algal diet
F.-L.E. CHU, P. SOUDANT, L.A. CRUZ-RODRÍGUEZ and R.C. HALE (USA)
- 223 Ovo-testis and disturbed reproductive cycle in the giant abalone, *Haliotis madaka*: possible linkage with organotin contamination in a site of population decline
T. HORIGUCHI, N. TAKIGUCHI (Japan), H.S. CHO (South Korea), M. KOJIMA, M. KAYA, H. SHIRAIISHI, M. MORITA, H. HIROSE and M. SHIMIZU (Japan)
- 231 Embryotoxicity of butyltin compounds to the sea urchin *Paracentrotus lividus*
M.G. MARIN, V. MOSCHINO, F. CIMA and C. CELLI (Italy)
- 237 The impact of musk ketone on reproduction in zebrafish (*Danio rerio*)
G. CARLSSON, S. ÖRN, P.L. ANDERSSON, H. SÖDERSTRÖM and L. NORRGREN (Sweden)

Abstracts

- 243 Effects of TBT and 3-MC co-exposure on cytochrome P450 expression and activity in marine organisms
P. McCLELLAN-GREEN and J. ROBBINS (USA)
- 243 Reproductive disorders in fish from Lake Molnbyggen and an adjacent stream contaminated by leakage water from a refuse dump
E. NOAKSSON (Sweden), J. DE POORTE (The Netherlands), M. LINDEROTH and L. BALK (Sweden)
- 244 Does PCB accumulation affect the lipid metabolism of the reproductively active oyster *Crassostrea virginica*?
P. SOUDANT, F.-L.E. CHU, L. STEIDER and R.C. HALE (USA)
- 245 Estrogen-mediated early life stage mortality in zebrafish (*Danio rerio*)
P.-E. OLSSON, L. WESTERLUND, A.H. BERG and M. TYSKLIND (Sweden)
- 245 Tissue distribution of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) in the adult Eastern oyster (*Crassostrea virginica*, Gmelin) and its effect on egg and larval survival
M.L. WINTERMYER and K.R. COOPER (USA)
- 246 Pure compound and sediment elutriate embryo larval assay of winter flounder from the Hudson/Raritan Estuary and Long Island Sound
T.A. YOUNG, A.M. DALY and K.R. COOPER (USA)

SECTION 6. CARCINOGENESIS AND TOXICOLOGIC PATHOLOGY

- 247 Intersexes in Mississippi River shovelnose sturgeon sampled below Saint Louis, Missouri, USA
J.C. HARSHBARGER, M.J. COFFEY and M.Y. YOUNG (USA)
- 251 Analysis of mutations in the *p53* tumor suppressor gene and *Ki-* and *Ha-ras* proto-oncogenes in hepatic tumors of European flounder (*Platichthys flesus*)
T.M. FRANKLIN, J.-S. LEE (UK), A. KÖHLER (Germany) and J.K. CHIPMAN (UK)
- 257 In vivo and in vitro effects of benzothiazole on sheepshead minnow (*Cyprinodon variegatus*)
J.J. EVANS, C.A. SHOEMAKER and P.H. KLESIOUS (USA)
- 263 Effects of the herbicide Roundup™ on the ultrastructural pattern of hepatocytes in carp (*Cyprinus carpio*)
J. SZAREK, A. SIWICKI, A. ANDRZEJEWSKA, E. TERECH-MAJEWSKA and T. BANASZKIEWICZ (Poland)
- 267 Pathology of fathead minnows (*Pimephales promelas*) exposed to chlorine dioxide and chlorite
L.T. YONKOS, D.J. FISHER, D.A. WRIGHT and A.S. KANE (USA)
- 273 Histopathology of the skin of UV-B irradiated sole (*Solea solea*) and turbot (*Scophthalmus maximus*) larvae
I. McFADZEN, S. BAYNES, J. HALLAM, A. BEESLEY and D. LOWE (UK)
- 279 Gonadal cysts in spotted gar (*Lepisosteus oculatus*) from Bayou Trepagnier, Louisiana, USA
A. THIYAGARAJAH, M.B. ANDERSON and W.R. HARTLEY (USA)
- 283 Pathology of the liver, kidney and gonad of flounder (*Platichthys flesus*) from a UK estuary impacted by endocrine disrupting chemicals
M.G. SIMPSON, M. PARRY, A. KLEINKAUF, D. SWARBRECK, P. WALKER and R.T. LEAH (UK)
- 289 Identification of an E3 ubiquitin-protein ligase in the softshell clam (*Mya arenaria*)
M.L. KELLEY and R.J. VAN BENEDEN (USA)

- 295 Sublethal effects of chromium-VI in the Asian clam (*Potamocorbula amurensis*)
S.J. TEH, I. WERNER and D.E. HINTON (USA)
- 301 Tissue and cellular alterations in Asian clam (*Potamocorbula amurensis*) from San Francisco Bay: toxicological indicators of exposure and effect?
S.L. CLARK, S.J. TEH and D.E. HINTON (USA)
- Abstracts*
- 307 The liver of fishes as a target organ of toxic chemicals: a new look at unique structure and function in one of the 'other' vertebrates
D.E. HINTON (USA)
- 307 Analysis of carcinogen-exposed Japanese medaka (*Oryzias latipes*) for mutations in K-ras and p53 genes
L.L. CLEPPER and R.J. VAN BENEDEN (USA)
- 308 Does the potency of polycyclic aromatic hydrocarbons (PAHs) for inducing CYP1A1 in juvenile trout (*Oncorhynchus mykiss*) predict dioxin-like toxicity in early life stages?
S.M. BILLIARD, P.V. HODSON and N.C. BOLS (Canada)
- 309 Associations of several externally visible lesions in finfishes with contaminated sediments in the lower Chesapeake Bay
W. HARGIS, J. COLVOCORESSES, C. WILLIAMS, D. ZWERNER, D. THONEY and M. FAISAL (USA)
- 310 Macrophage responses in xenobiotic-induced liver injury and carcinogenesis of a marine flatfish
A. KÖHLER, S. BAHNS and K. BROEG (Germany)
- 310 Vitellogenesis in flatfish liver with toxipathic lesions
A. KÖHLER, B. LAURITZEN, S. BAHNS (Germany) and C.J.F. VAN NOORDEN (The Netherlands)
- 311 Effects of herbicides Asoprim and Avans on the morphological pattern in haemopoietic organ and cell-mediated immunity in European catfish (*Silurus glanis*)
J. SZAREK, A.K. SIWICKI, A. ANDRZEJEWSKA and E. TERECH-MAJEWSKA (Poland)
- 312 Fathead minnow histology atlas: worldwide web outreach and utilization
L.T. YONKOS, A.S. KANE and R. REIMSCHUESSEL (USA)

SECTION 7. MULTIXENOBIOTIC RESISTANCE

- 313 Distribution and inducibility of P-glycoprotein in the catfish: immunohistochemical detection using the mammalian C-219 monoclonal
K.M. KLEINOW, A.M. DOI and A.A. SMITH (USA)
- 319 Multidrug resistance in the embryos and larvae of the mussel *Mytilus edulis*
I. McFADZEN (UK), N. EUFEMIA (USA), C. HEATH (UK), D. EPEL (USA), M. MOORE (Austria) and D. LOWE (UK)
- 325 Stability of lysosomal and cell membranes in haemocytes of the common mussel (*Mytilus edulis*): effect of low temperatures
L. CAMUS, B.E. GRØSVIK, J.F. BORSETH (Norway), M.B. JONES and M.H. DEPLEDGE (UK)
- Abstracts*
- 331 Expression of multixenobiotic resistance transport P-glycoproteins in fish (*Fundulus heteroclitus*) exposed to environmental xenobiotics
S.M. BARD and J.J. STEGEMAN (USA)

- 332 Multixenobiotic resistance mechanism in the catfish intestine
A.M. DOI, K.M. KLEINOW, C.S. VENUGOPAL and E. HOLMES (USA)
- 332 Algal products as naturally occurring modulators for the multidrug resistance (MDR) transporter
N. EUFEMIA, S. GIRSHICK and D. EPEL (USA)
- 333 Identification of homologs of the mammalian P-glycoprotein in the mussel, *Perna perna*
E.D. GRIMM, M.F. TERENCE, G.H. GOLDMAN, A.C.D. BAINY and
H. TERENCE (Brazil)
- 334 Dioxin resistance in killifish (*Fundulus heteroclitus*) from New Bedford Harbor, MA
S.B. BELLO, D.G. FRANKS, J.J. STEGEMAN and M.E. HAHN (USA)
- 334 Inhibition of multixenobiotic resistance mechanism in aquatic organisms by commercially
used pesticides
T. SMITAL, R. SAUERBORN, B. PIVČEVIĆ and B. KURELEC (Croatia)
- 335 P-glycoprotein and sister P-glycoprotein sequences from mummichog, *Fundulus heteroclitus*,
liver and intestine
P.S. COOPER, K.S. REECE, W.K. VOGELBEIN and P.A. VAN VELD (USA)

SECTION 8. BIOMARKER, ENVIRONMENTAL MONITORING, AND FIELD STUDIES

- 337 Protein expression signatures identified in *Mytilus edulis* exposed to PCBs, copper and salinity stress
J.L. SHEPARD (USA), B. OLSSON, M. TEDENGREN (Sweden) and
B.P. BRADLEY (USA)
- 341 Effects of PCBs sorbed to algal paste and sediments on the stress protein response (HSP70 family) in the eastern oyster, *Crassostrea virginica*
L.A. CRUZ-RODRIGUEZ, A.J. BAUCUM, P. SOUDANT, F.-L.E. CHU and
R.C. HALE (USA)
- 347 In vivo formation of (+)-anti-benzo[a]pyrene diol-epoxide-plasma albumin adducts in fish
J. PADRÓS and É. PELLETIER (Canada)
- 353 Differential expression of α -like glutathione S-transferase (GST) isoforms in catfish intestine
B.K.-M. GADAGBUI and M.O. JAMES (USA)
- 357 Environmental monitoring using acetylcholinesterase inhibition in vitro.
A case study in two Mexican lagoons
G. RODRIGUEZ-FUENTES and G. GOLD-BOUCHOT (Mexico)
- 361 Immunodetection of hepatic peroxisomal PMP70 as an indicator of peroxisomal proliferation in the mummichog, *Fundulus heteroclitus*
J.T. ACKERS, M.F. JOHNSTON and M.L. HAASCH (USA)
- 367 Development of hepatic CYP1A and blood vitellogenin in eel (*Anguilla anguilla*) for use as biomarkers in the Thames Estuary, UK
D.R. LIVINGSTONE, C.L. MITCHELMORE, L.D. PETERS, S.C.M. O'HARA, J.P. SHAW, B.S. CHESMAN, A. DOYOTTE, J. McEVOY (UK), D. RONISZ, D.G.J. LARSSON and L. FÖRLIN (Sweden)
- 373 Flounder health status in the Seine Bay.
A multibiomarker study
C. MINIER, F. LEVY, D. RABEL, G. BOCQUENÉ, D. GODEFROY,
T. BURGEOT and F. LEBouleNGER (France)

- 379 Spatial profiles of hsp70 proteins in Asian clam (*Potamocorbula amurensis*) in northern San Francisco Bay may be linked to natural rather than anthropogenic stressors
I. WERNER and D.E. HINTON (USA)
- 385 Toxicity of sediments from Bahía de Chetumal, Mexico, as assessed by hepatic EROD induction and histology in Nile tilapia *Oreochromis niloticus*
O. ZAPATA-PÉREZ, R. SIMA-ALVAREZ, E. NOREÑA-BARROSO, J. GÜEMES, G. GOLD-BOUCHOT, A. ORTEGA and A. ALBORES-MEDINA (Mexico)
- 393 Endocrine disruption: thyroid dysfunction in mummichogs (*Fundulus heteroclitus*) from a polluted habitat
T. ZHOU, H.B. JOHN-ALDER, J.S. WEIS and P. WEIS (USA)
- 399 Altered glutathione S-transferase catalytic activities in female brown bullheads from a contaminated central Florida lake
E.P. GALLAGHER and K.M. SHEEHY (USA)
- 405 Seasonal variation in mussel *Mytilus edulis* digestive gland cytochrome P4501A- and 2E-immunoidentified protein levels and DNA strand breaks (Comet assay)
J.P. SHAW, A.T. LARGE, J.K. CHIPMAN, D.R. LIVINGSTONE and L.D. PETERS (UK)
- 411 Biochemical responses in farmed mussel *Perna perna* transplanted to contaminated sites on Santa Catarina Island, SC, Brazil
A.C.D. BAINY, E.A. ALMEIDA, I.C. MÜLLER, E.C. VENTURA and I.D. MEDEIROS (Brazil)
- 417 Biomarkers and trace metals in the digestive gland of indigenous and transplanted mussels, *Mytilus galloprovincialis*, in Venice Lagoon, Italy
L. DA ROS, C. NASCI, I. MARIGOMEZ and M. SOTO (Italy)
- 425 Biochemical and histochemical responses to environmental contaminants in clam, *Tapes philippinarum*, transplanted to different polluted areas of Venice Lagoon, Italy
C. NASCI, L. DA ROS, N. NESTO, L. SPERNI, F. PASSARINI and B. PAVONI (Italy)
- Abstracts*
- 431 Biomarkers: the application of a suite of techniques to determine environmental quality
J. WEDDERBURN, I. MCFADZEN, R.C. SANGER, A. BEESLEY, C. HEATH, M. HORNSBY and D. LOWE (UK)
- 431 Validation of inland water pollution assessment using biomarker responses in caged carp (*Cyprinus carpio*)
R. VAN DER OOST, A. IERO, K. SATUMALAY and N.P.E. VERMEULEN (The Netherlands)
- 432 Membrane destabilisation of haemocytes measured by uptake of fluorescent probes
B.E. GRØSVIK, A. BJØRNSTAD, L. CAMUS, J.F. BØRSETH and O.K. ANDERSEN (Norway)
- 433 Kinetics and magnitude of metallothionein induction by Cd, Cu, Hg and Zn in European flounder — calibration for environmental monitoring
S. GEORGE, J. WRIGHT (UK), E. CARPENE (Italy) and M. KINDT (UK)
- 434 Proliferative and neoplastic conditions of flounder (*Platichthys flesus*) in the northern Baltic Sea in relation to DNA-adducts
G. BYLUND, C. MALMSTRÖM, T. WIKLUND (Finland) and M.S. MYERS (USA)
- 435 Evaluation of biomarker variability in fish exposed to polycyclic aromatic compounds at marine sites
W.L. REICHERT and B.L. FRENCH (USA)

- 435 Biomarker and histopathologic responses in flatfish following site remediation in Eagle Harbor, WA
M. MYERS, B. ANULACION, B. FRENCH, T. HOM, W. REICHERT,
L. HUFNAGLE and T. COLLIER (USA)
- 436 Multiple bioindicators of environmental pollution in a sentinel species, *Chrysemys picta*, on Cape Cod, MA
M.T. RIE, K.A. LENDAS, B.R. WOODIN, J.J. STEGEMAN and
I.P. CALLARD (USA)
- 437 Chamerling in the Pacific oyster, *Crassostrea gigas*, and its relationship to tributyltin
M.S. BRANCATO, R.D. CARDWELL and S. McKAY (USA)
- 438 Aquatic ecological risks posed by tributyltin in US surface waters: pre-1989–1997 data
R. CARDWELL, M.S. BRANCATO, J. TOLL, D. DeFOREST and
L. TEAR (USA)
- 438 Seasonal variations in the activity of selected hepatic biotransformation and antioxidant
enzymes in eelpout (*Zoarces viviparus*)
D. RONISZ, D.G.J. LARSSON and L. FÖRLIN (Sweden)
- 439 Biochemical indicators of pollution exposure in shorthorn sculpin (*Myoxocephalus scorpius*)
caught in four Icelandic harbours
E. STEPHENSEN (Sweden), J. SVAVARSSON (Iceland), J. STURVE,
G. ERICSON, M. ADOLFSSON-ERICI and L. FÖRLIN (Sweden)
- 440 Biomarker responses in rainbow trout (*Oncorhynchus mykiss*) exposed to sewage treatment
plant effluent
J. STURVE, J. PARKKONEN and L. FÖRLIN (Sweden)
- 440 Organochlorine bioaccumulation and risk for whales in a northwest Atlantic food web
A. WEISBROD, D. SHEA, G. LEBLANC, M. MOORE and
J.J. STEGEMAN (USA)

SECTION 9. SESSION IMMUNOTOXICITY

- 443 Immune response of greenback flounder *Rhombosolea tapirina* after exposure to con-
taminated marine sediment and diet
J.A. MONDON, S. DUDA and B.F. NOWAK (Australia)
- 451 Impact of the *Sea Empress* oil spill on lysosomal stability in mussel blood cells
P.W. FERNLEY, M.N. MOORE, D.M. LOWE, P. DONKIN and S. EVANS (UK)
- 457 Protein expression signatures and lysosomal stability in *Mytilus edulis* exposed to graded
copper concentrations
J.L. SHEPARD and B.P. BRADLEY (USA)

Abstracts

- 465 Seasonality of trout leukocytic sensitivity to toxicity: implications for immunotoxic biomoni-
toring
S.L. KAATTARI and C.A. OTTINGER (USA)
- 466 Differential activation of mitogen-activated protein kinase (MAPK) pathways in teleost leuko-
cytes by environmental metals
K.G. BURNETT, A. KARLSSON and K. KOHLBERG (USA)
- 466 Expression of fish iNOS is increased by pro-inflammatory signals and xenobiotics
Y. XIANG and C.D. RICE (USA)
- 467 Peroxisome proliferating agents, retinoid metabolism, and macrophage activation
C. BAIER-ANDERSON, R.S. ANDERSON and M.L. HAASCH (USA)

- 468 Impaired health of juvenile Pacific salmon migrating through contaminated estuaries
T. COLLIER, M. ARKOOSH, E. CASILLAS, M. MYERS, C. STEHR,
J. MEADOR and J. STEIN (USA)
- 468 Restoration of immunity after suppression induced by xenobiotics in fish: in vitro and in vivo studies
A.K. SIWICKI (Poland), P. KLEIN (USA), M. STUDENICKA,
E. TERECH-MAJEWSKA, K. KAZUN and E. GLOMBSKI (Poland)
- 469 Chlorothalonil suppresses anterior kidney macrophage activity in mummichog, *Fundulus heteroclitus*, following in vivo exposure
C. BAIER-ANDERSON and R.S. ANDERSON (USA)
- 470 Metallothionein (MT) gene expression and cadmium-induced immunotoxicity in hemocytes of the eastern oyster *Crassostrea virginica*
R.A. BUTLER and G. ROESIADI (USA)
- 470 Increased susceptibility of juvenile chinook salmon to infectious disease after exposure to chlorinated and aromatic compounds found in contaminated urban estuaries
M. ARKOOSH, E. CASILLAS, E. CLEMONS, P. HUFFMAN, A. KAGLEY,
T. COLLIER and J. STEIN (USA)
- 471 Effects of pesticides on the acute phase proteins in fishes: an experimental study
A.K. SIWICKI, M. STUDENICKA (Poland), M. MORAND (France),
E. GLABSKI, A. BOWNIK and E. TERECH-MAJEWSKA (Poland)

SECTION 10. HARMFUL ALGAL BLOOMS

- 473 Etiologies, observations and reporting of estuarine finfish lesions
A.S. KANE, M.J. DYKSTRA, E.J. NOGA, R. REIMSCHUESSEL,
A. BAYA, C. DRISCOLL, H.W. PAERL and J. LANDSBERG (USA)
 - 479 Paralytic shellfish poisoning toxins induce xenobiotic metabolising enzymes in Atlantic salmon (*Salmo salar*)
M.J. GUBBINS, F.B. EDDY, S. GALLACHER and R.M. STAGG (UK)
- Abstracts*
- 485 Domoic acid-producing diatoms: probable cause of neuroexcitotoxicity in California sea lions
K. LEFEBVRE, C. POWELL, G. DOUCETTE, J. SILVER, P. MILLER,
P. HUGHES, M. SILVER and R. TJEERDEMA (USA)
 - 485 Metabolism of the cyanobacterial toxin microcystin-LR is comparable in different aquatic organisms
C. WIEGAND (Germany), G.A. CODD (UK), C. STEINBERG and
S. PFLUGMACHER (Germany)
 - 486 Monitoring toxin uptake in edible fish tissues from *Pfiesteria* containing waters
P. MCCLELLAN-GREEN, E. BALMER, M. DARCY, M. WRIGHT and
D. GREEN (USA)
 - 487 Dermal ulcerations and mortalities of estuarine fishes as indicators of environmental problems
W. HARGIS (USA)
 - 487 Etiology and pathogenesis of skin ulcers in menhaden, *Brevoortia tyrannis*: does *Pfiesteria piscicida* play a role?
V. BLAZER, W.K. VOGELBEIN, C. DENSMORE, H. KATOR,
D. ZWERNER (USA) and J. LILLEY (UK)

SECTION 11. ALTERNATIVE TEST AND EXPOSURE SYSTEMS

- 489 Transient induction of 7-ethoxyresorufin-O-deethylase (EROD) activity by medium change in the rainbow trout liver cell line, RTL-W1
H. SEGNER, A. BEHRENS (Germany), E.M. JOYCE, K. SCHIRMER and N.C. BOLS (Canada)
- 495 Short-time induction of oxidative stress in hepatocytes of the European flounder (*Platichthys flesus*)
K. WINZER, W. BECKER (Germany),
C.J.F. VAN NOORDEN (The Netherlands) and A. KÖHLER (Germany)
- 503 Levels of cellular glutathione and metallothionein affect the toxicity of oxidative stressors in an established carp cell line
J. WRIGHT, S. GEORGE (UK), E. MARTINEZ-LARA (Spain),
E. CARPENE and M. KINDT (Italy)
- 509 Effects of estrogen on the stress response in CuSO₄-exposed PLHC-1 cells
J.J. MORELAND, D.E. ARRIETA and B.S. WASHBURN (USA)
- 513 Relation between responses in the neutral red retention test and the comet assay and life history parameters of *Daphnia magna*
P.J. DEN BESTEN and C.W. TUK (The Netherlands)
- 517 Skin biopsy of Mediterranean cetaceans for the investigation of interspecies susceptibility to xenobiotic contaminants
M.C. FOSSI, L. MARSILI, G. NERI, S. CASINI, G. BEARZI, E. POLITI,
M. ZANARDELLI and S. PANIGADA (Italy)
- 523 Skin biopsies for cell cultures from Mediterranean free-ranging cetaceans
L. MARSILI, M.C. FOSSI, G. NERI, S. CASINI, C. GARDI, S. PALMERI,
E. TARQUINI and S. PANIGADA (Italy)
- 527 From sediment bioassay to fish biomarker — connecting the dots using simple trophic relationships
C.A. RICE, M.S. MYERS, M.L. WILLIS, B.L. FRENCH and
E. CASILLAS (USA)
- 535 Wetland plant seedlings as indicators of near-coastal sediment quality: interspecific variation
M.A. LEWIS, D.E. WEBER and R.S. STANLEY (USA)
- 541 Development of a fish in vitro cell culture model to investigate oxidative stress and its modulation by dietary vitamin E
S. GEORGE, C. RILEY, J. McEVOY and J. WRIGHT (UK)
- Abstracts*
- 545 Nitratated polycyclic aromatic hydrocarbons and azaarenes induce cytochrome P4501A in a fish hepatoma cell line
K. FENT and D.K.J. JUNG (Switzerland)
- 545 Cell culture serum alters the uptake and relative potencies of halogenated aromatic hydrocarbons in PLHC-1 cells
E.V. HESTERMANN, J.J. STEGEMAN and M.E. HAHN (USA)
- 546 Development of an in vitro model of fish skin and gill
B.F. TRUMP, A.S. KANE and R.T. JONES (USA)
- 547 Susceptibility to oxyradical toxicity in Antarctic, Arctic, and Mediterranean scallops
F. REGOLI, M. NIGRO, S. BOMPADRE (Italy) and G.W. WINSTON (USA)
- 548 Effect of substituent size and dimensionality on potency of phenolic xenoestrogens
T.W. SCHULTZ, G.D. SINKS and J.R. SEWARD (USA)
- 548 NAD(P)H-dependent epoxidation of aldrin in vitro by sea anemone microsomes
L.M. HEFFERNAN, H.F. MORRIS and G.W. WINSTON (USA)

- 549 Assessing the sublethal responses of metal spiked sediments with a marine amphipod
F. LEE, I. KUNG and R. CHEUNG (People's Republic of China)
- 549 Induction of cytochrome P4501A1 genes and metallothionein gene expression in tilapia
exposed to coastal sediments in Hong Kong
C.K.C. WONG, R.Y.H. CHEUNG and M.H. WONG (Hong Kong)
- 550 Activity of detoxication enzymes in the marine macroalgae *Fucus vesiculosus* as a tool to dis-
tinguish between non-polluted and polluted sites
S. PFLUGMACHER and H. SANDERMANN (Germany)
- 551 Marine and freshwater plants and their abilities for detoxication of xenobiotics
S. PFLUGMACHER (Germany)
- 551 Exposure to silver via food reduces egg production and viability in herbivorous copepods
and cladocerans
S.E. HOOK and N.S. FISHER (USA)

SECTION 12. GENOTOXICITY

- 553 DNA strand breaks (comet assay) and embryo development effects in grass shrimp (*Palae-
monetes pugio*) embryos after exposure to genotoxicants
R. LEE, G.B. KIM, K.A. MARUYA, S.A. STEINERT (USA) and
Y. OSHIMA (Japan)
- 559 Effect of pollution on genetic diversity in the bay mussel *Mytilus galloprovincialis* and the
acorn barnacle *Balanus glandula*
X.L. MA, D.L. COWLES and R.L. CARTER (USA)
- 565 Genotoxic, cytotoxic and developmental effects of tributyltin oxide (TBTO): an integrated
approach to the evaluation of the relative sensitivities of two marine species
A.N. JHA, J.A. HAGGER, S.J. HILL and M.H. DEPLEDGE (UK)
- 575 ³²P-postlabelling analysis of DNA adducts and EROD induction as biomarkers of genotoxin
exposure in dab (*Limanda limanda*) from British coastal waters
B.P. LYONS, C. STEWART and M.F. KIRBY (UK)
- 581 DNA adducts in hematopoietic tissues and blood of the mummichog (*Fundulus heteroclitus*)
from a creosote-contaminated site in the Elizabeth River, Virginia
W.L. ROSE, B.L. FRENCH, W.L. REICHERT and M. FAISAL (USA)

Abstracts

- 591 Evaluation of transgenic fish for detecting in vivo mutations
R. WINN, M. NORRIS, K. BRAYER, J. KIND and C. DALLAS (USA)
- 591 DNA adducts in northern pike (*Esox lucius*) exposed to benzo[a]pyrene, benzo[k]fluoranthene
and 7H-dibenzo[c,g]carbazole
G. ERICSON, E. NOAKSSON and L. BALK (Sweden),
- III Contents to Volume 50
- XIII Author Index to Volume 50

